



October 28, 2014

Perrigo Customers Requiring CPSIA Certification for PPPA Products

Subject: CPSIA Certification No: 211

CPSC Product Safety Regulation:	PPPA - 16 CFR 1700
Product Identification/Lot Number:	Customer Part Numbers for CR Test <b>U200-807</b>
Date of Manufacture:	Any Production for CR Test Report <b>U200-807</b> which is impacted by PPPA produced on or after November 12, 2008
Perrigo Address of Manufacture:	<b>Perrigo Company</b> 515 Eastern Avenue Allegan, MI 49010
Name and Address Where Product was Tested for Compliance:	<b>Child-Related Research</b> 448 East Winchester Street Suite 140 Murray, Utah 84107
Date Product Tested for Compliance:	09/18/2014
Contact Information for Maintenance of Records:	<b>Perrigo Consumer Affairs:</b>  <b>OTC Product Questions/Comments</b> 1 800 719-9260 <a href="mailto:OtcComments@perrigo.com">OtcComments@perrigo.com</a>  <b>Nutrition Product Questions/Comments</b> 1 866 703-4222 <a href="mailto:NutritionalComments@perrigo.com">NutritionalComments@perrigo.com</a>  <b>Rx Product Questions/Comments</b> 1 866 634-9120 <a href="mailto:RxComments@perrigo.com">RxComments@perrigo.com</a>